


Bonelli's Warbler

Phylloscopus bonelli



SEASONAL BEHAVIOUR

SPasses through on both passages but easier to pick up in spring (especially April) when singing.

DISTRIBUTION

Equal chances of being seen in all four provinces.

COMMENTS

Reports of breeding birds in some areas (sierras of Hornachuelos and Aracena, Parque Natural Sierra Norte de Seville) are probably just wishful interpretations of late-singing migrants in April and May, judging from the specific surveys we have carried out subsequently.

THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	-	-

WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
H-3	SE-3	CO-3	J-3
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	J-12
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			

STATUS

Migrant.

ABUNDANCE

Uncommon.

HABITAT

Recorded in all wooded areas, sometimes also in scrub with scattered trees.