


## Booted Eagle

*Aquila pennata*



### SEASONAL BEHAVIOUR

Usually remains from March to September (some until October), though still seen in winter in some spots.

### DISTRIBUTION

Well distributed throughout, perhaps more abundant in the pinewoods of Despeñaperros and the catchment areas of the rivers Benjarafe and Névalo. There are records of wintering birds in the *campiña* of Montoro and at both ends of Sierra Morena Sevillana (in the north and the southern foothills).

### THREAT CATEGORY

| CNEA | CAEA | LRAE | LRVA |
|------|------|------|------|
| -    | -    | NT   | VU   |

### WHERE TO SEE IT

| HUELVA | SEVILLA | CÓRDOBA | JAÉN |
|--------|---------|---------|------|
| H-1    | SE-1    | CO-1    | J-1  |
| H-2    | SE-2    | CO-2    | J-2  |
| H-3    | SE-3    | CO-3    | J-3  |
| H-4    | SE-4    | CO-4    | J-4  |
| H-5    | SE-5    | CO-5    | J-5  |
| H-6    | SE-6    | CO-6    | J-6  |
| H-7    | SE-7    | CO-7    | J-7  |
| H-8    | SE-8    | CO-8    | J-8  |
| H-9    | SE-9    | CO-9    | J-9  |
| H-10   | SE-10   | CO-10   | J-10 |
| H-11   | SE-11   | CO-11   | J-11 |
| H-12   | SE-12   | CO-12   | J-12 |
| H-13   | SE-13   | CO-13   | J-13 |
| H-14   | SE-14   | CO-14   | J-14 |
| H-15   | SE-15   | CO-15   | J-15 |
| H-16   |         |         |      |
| H-17   |         |         |      |

### STATUS

Summer breeder. Also a migrant and a few overwinter.

### ABUNDANCE

Common in the whole Sierra Morena and abundant in some areas. Rare as winter visitor.

### HABITAT

Woodland raptor with versatile habitat choice. Found in *dehesas*, pinewoods, hillsides of Mediterranean woodland, Eucalyptus copses, riverside copses and woods, etc.