


Cirl Bunting

Emberiza cirlus



SEASONAL BEHAVIOUR

Stays all year.

DISTRIBUTION

Distributed throughout the four provinces without ever becoming abundant in any of them.

THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	-	-

WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
H-3	SE-3	CO-3	J-3
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	J-12
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			

STATUS

Sedentary, perhaps topped up by some wintering birds from abroad.

ABUNDANCE

Uncommon.

HABITAT

Very fond of riparian copses and thickets, hedgerows and rows of trees as well as woodland edges, shadier parts of Mediterranean woodland and orchards. Also seen with less frequency inside closed-canopy woodland, dehesas, pastureland and cropland. Likes cool, moist environments, especially in the breeding season.