

Common Kestrel

Falco tinnunculus



THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	-	-

WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
H-3	SE-3	CO-3	J-3
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	J-12
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			



SEASONAL BEHAVIOUR

Birds tend to stay put all year, perhaps with a slight top-up of wintering birds in flat areas.

DISTRIBUTION

Distributed fairly evenly throughout, though much commoner in areas of open country than heavily wooded areas.

STATUS

Sedentary.

ABUNDANCE

Uncommon.

HABITAT

Open spaces such as pastureland and grassland, cropland, *dehesas* and scrubland. Nests on human constructions in towns and villages and the open country (bridges, old farmsteads, power-line pylons, etc).