


## Great Reed Warbler

*Acrocephalus arundinaceus*



### SEASONAL BEHAVIOUR

Seen from April (sometimes from late March) to September.

### DISTRIBUTION

There are breeding records from the reservoirs of the River Guadalquivir (Marmolejo, El Salto). Also breeds in the highest reaches of the Guadiato in Sierra Morena Cordobesa. Has occasionally bred in other spots, such as the reservoirs of Cavá (Encinasola), Minas de Cala and Zocueca.

### THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	-	-

### WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
H-3	SE-3	CO-3	J-3
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	<b>CO-12</b>	J-12
H-13	<b>SE-13</b>	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	<b>CO-15</b>	<b>J-15</b>
H-16			
H-17			

### STATUS

Migrant, with some breeding birds.

### ABUNDANCE

Rare.

### HABITAT

Both on passage and in summer seen only in wetlands with well-developed vegetation (*Phragmites* reedbeds and reedbeds), sometimes combined with riparian copses.