


## Rufous-Tailed Bush Robin

*Cercotrichas galactotes*



### SEASONAL BEHAVIOUR

Most are here from May to September.

### DISTRIBUTION

In the *campiña* of Jaén (Baños de la Encina, Bailén, Villanueva de la Reina) and Córdoba (Montoro) breeds in olive groves, especially those with old, gnarled trees. In Huelva there are two interesting and small riparian populations, one on the River Chanza and its tributaries – bordering on Portugal – and another along streams of Zufre, at the eastern end of the Parque Natural Sierra de Aracena y Picos de Aroche. There are also records of migratory birds.

### THREATS

Formerly known to have bred widely in vineyards of Sierra Morena Sevillana but has now disappeared due to changes in farming practices and the reduction of vineyards.

### THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
VU	VU	EN	EN

### WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
<b>H-3</b>	SE-3	CO-3	<b>J-3</b>
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
<b>H-9</b>	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	J-12
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			

### STATUS

Summer visitor and migrant.

### ABUNDANCE

Scarce.

### HABITAT

Two different types of habitat preferences: olive groves, and riparian thickets of Oleander and Tamujo.