

## Savi's Warbler

*Locustella luscinioides*



### SEASONAL BEHAVIOUR

Easiest to detect in March and April when the males are reeling.

### DISTRIBUTION

Recorded on suitable stretches of the River Guadalquivir in Córdoba and Jaén. Breeding has been claimed for the latter province (Marmolejo Reservoir, Rincón del Jándula), though specific surveys in the last two years have failed to confirm this.

### THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	NT	DD

### WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
H-3	SE-3	CO-3	J-3
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	J-12
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			

### STATUS

Migrant and perhaps breeder as well.

### ABUNDANCE

Very rare.

### HABITAT

Reed-mace beds and *Phragmites* reedbeds on the banks of wetlands.