


## Subalpine Warbler

*Sylvia cantillans*



### SEASONAL BEHAVIOUR

Seen above all from March to September.

### DISTRIBUTION

Its situation varies greatly from the western zone where it is scarce (especially in Huelva) to the eastern half where it is locally abundant.

### THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	-	-

### WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
<b>H-1</b>	SE-1	CO-1	<b>J-1</b>
H-2	<b>SE-2</b>	CO-2	<b>J-2</b>
<b>H-3</b>	<b>SE-3</b>	<b>CO-3</b>	<b>J-3</b>
H-4	SE-4	<b>CO-4</b>	J-4
H-5	SE-5	<b>CO-5</b>	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	<b>J-7</b>
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	<b>J-9</b>
H-10	<b>SE-10</b>	<b>CO-10</b>	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	<b>J-12</b>
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			

### STATUS

Summer visitor and migrant.

### ABUNDANCE

Uncommon in general.

### HABITAT

A versatile scrub warbler that breeds in a variety of habitat ranging from *Cistus* scrub with scattered Holm-Oaks to Juniper copses, scrub patches among pinewoods and bush-fringed rivers and streams. Prefers sunny areas. On passage seen in hedgerows, woods, thickets and streams in *campiña*, orchards, gardens, etc.