

Zitting Cisticola (formerly Fan Tailed Warbler)

Cisticola juncidis



SEASONAL BEHAVIOUR

Seen all year in some spots and only from March to October in others.

DISTRIBUTION

Distributed patchily throughout Sierra Morena, peaking in areas of herbaceous crops in *campiña*.

THREAT CATEGORY

CNEA	CAEA	LRAE	LRVA
-	-	-	-

WHERE TO SEE IT

HUELVA	SEVILLA	CÓRDOBA	JAÉN
H-1	SE-1	CO-1	J-1
H-2	SE-2	CO-2	J-2
H-3	SE-3	CO-3	J-3
H-4	SE-4	CO-4	J-4
H-5	SE-5	CO-5	J-5
H-6	SE-6	CO-6	J-6
H-7	SE-7	CO-7	J-7
H-8	SE-8	CO-8	J-8
H-9	SE-9	CO-9	J-9
H-10	SE-10	CO-10	J-10
H-11	SE-11	CO-11	J-11
H-12	SE-12	CO-12	J-12
H-13	SE-13	CO-13	J-13
H-14	SE-14	CO-14	J-14
H-15	SE-15	CO-15	J-15
H-16			
H-17			

STATUS

Sedentary though disappears from some areas in winter.

ABUNDANCE

Scarce.

HABITAT

Grassland, cropland and scrub with clearings grazed by livestock.